



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/003,853	11/02/2001	Ashok V. Joshi	4729US	7449
24247	7590	06/29/2005	EXAMINER	
TRASK BRITT P.O. BOX 2550 SALT LAKE CITY, UT 84110			DESANTO, MATTHEW F	
			ART UNIT	PAPER NUMBER
			3763	

DATE MAILED: 06/29/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/003,853

Applicant(s)

JOSHI, ASHOK V.

Examiner

Matthew F. DeSanto

Art Unit

3763

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 18 February 2005.
2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-21 and 23-37 is/are pending in the application.
4a) Of the above claim(s) _____ is/are withdrawn from consideration.
5) ☐ Claim(s) _____ is/are allowed.
6) ☒ Claim(s) 1-21, 23, 25-35 and 37 is/are rejected.
7) ☒ Claim(s) 24, 36 is/are objected to.
8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
2) ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)
3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____.
4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____.
5) ☐ Notice of Informal Patent Application (PTO-152)
6) ☐ Other: _____

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. Claim 1-11, 13, 17-21, 23, and 25-35 are rejected under 35 U.S.C. 102(b) as being anticipated by Roberts et al. (USPN 6,001,088)

Roberts et al. teaches an iontophoresis method and apparatus for ophthalmic delivery of a beneficial agent comprising two electrodes (10, 11), connected to a power source (12), and both configured to contain the beneficial agent that is to be delivered subcutaneously to the patient. The electrode has semi-permeable membrane (column 4, line 64) that contact with an ionic fluid of the patient. Contact of the membranes with the subject's tissue completes the circuit of the device.

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claim 12 rejected under 35 U.S.C. 103(a) as being unpatentable over Roberts et al. as applied to claims above, and further in view of Haak et al. (USPN 5,445,606)

Art Unit: 3763

Robert et al., as described above, teaches a device for eye delivery of a beneficial agent comprising two electrodes, but fails to teach a control circuit.

Haak et al. teaches a device for the delivery of a medicament comprising two electrodes with semi-permeable membranes and agent reservoirs and a battery and control circuit (31) connected to both electrodes.

At the time of the invention it would have been obvious for one of ordinary skill in the art to combine the invention of Roberts et al. with the teachings of Haak et al. because Haak et al. includes a control circuit connected between the electrodes in order to control the amount of current delivered to them, thus affecting the rate of drug delivery for a more effective treatment.

5. Claims 14-16, 37 are rejected under 35 U.S.C. 103(a) as being unpatentable over Roberts et al. as applied to the claims above, and further in view of Theeuwes et al. (EP 0 931 564).

Roberts, as described above, teaches a device for eye delivery of a beneficial agent comprising two electrodes, but fails to teach the material of the electrodes.

Theeuwes et al. teaches an iontophoretic agent delivery device comprising carbon or titanium electrodes (column 8, lines 12- 13).

It would have been obvious to one skilled in the art at the time of the invention to use a carbon electrode, as such is standard in the art.

Allowable Subject Matter

6. Claims 24, 36 objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Response to Arguments

7. Applicant's arguments filed 2/18/05 have been fully considered but they are not persuasive.

8. The examiner disagrees with the applicant with regards to the interpretation of the claims in view of the prior art because the applicant is trying to state that Roberts doesn't disclose an electropositive or electronegative material, because the electrode of Roberts et al. is made of silver, platinum or steel. The examiner interpretation is that the metal electrodes are inherently electropositive and electronegative because of the ions that are in silver, platinum and steel. These ions are what allow the metals to be conductive and thus act like an electrode. Without the electropositive and electronegative ions the metal would not be able to act as a conductor and lose its ability to form a battery.

9. The examiner understands that the applicant's electrodes might consist of only one ion, but this is not being claimed, further limitations or clarification of the wording of the claim is needed.

10. With regards to the issue of Roberts et al. not forming a battery, the examiner would like to know what the definition of a battery is and why Roberts et al. doesn't teach this. The examiner is interpreting a battery to mean a group of two or more cells

Art Unit: 3763

connected together to furnish electric current, which is what the electrodes are doing.

They are passing an electric current to one another, thus acting like cells and forming a battery.

11. With regards to the electrode not being implanted, please see Roberts et al. column 4, line 28. The claim doesn't state the entire electrode must be implanted, thus only a portion needs to be implanted to fulfill the claimed invention.



Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Matthew F. DeSanto whose telephone number is 571-272-4957. The examiner can normally be reached on Monday-Friday 9:30-6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nick LUCCHESI can be reached on (571) 272-4977. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Matthew DeSanto
Art Unit 3763
June 27, 2005



NICHOLAS D. LUCCHESI
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 3700